

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	2	("6438377").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/06 09:17
L14	2	("6768907").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/06 09:18
L15	2859	delay with (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 10:38
L16	108	schedul\$3 with delay with (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 10:38
L17	45	16 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 10:38
L21	33	17 and ((455/4\$.ccls.) or (370/3\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 10:39
L22	20	21 and ((@lad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 10:39

L23	143	delay with (between near2 (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 11:57
L24	64	23 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 11:58
L25	45	24 and ((455/4\$.ccls.) or (370/3\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 11:58
L26	23	25 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 11:58
L28	60	delay with (between with first with second with (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 12:02
L29	5	28 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 12:02
L30	3	29 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/06 12:02
L31	2	("20040009767").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/06 12:47
L32	2	("6091962").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/06 12:48

S1	12588	(tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:13
S2	13403	(delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:14
S3	2	("20070155388").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/05 15:14
S4	833	(tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start\$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:16
S5	299	S4 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:17
S6	216	S5 and ((455/4\$.ccls.) or (370/3\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:17
S7	113	S6 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:18
S8	72	(target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original) same (tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start \$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:19

S9	72	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) same ((tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start \$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:20
S10	15	S7 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:20
S16	47	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) with ((delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start\$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:36
S17	18	S16 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:36
S18	16	S17 and ((455/4\$.ccls.) or (370/3\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:36
S19	11	S18 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:37
S20	633	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:45

S21	3019	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) near5 (tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start\$3 or activat\$3 or stop\$4) near5 (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:47
S22	2703	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:48
S23	81	S22 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:49
S24	63	S23 and ((455/4\$.ccls.) or (370/3\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:49
S25	33	S24 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:49
S26	6732	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (uplink or (reverse near2 link)) with (first serving old previous initial home source original))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:01
S27	2593	S26 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:01

S28	1335	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (uplink or (reverse near2 link)) with (first serving old previous initial home source original)) same ((delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:03
S29	534	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:03
S30	387	S29 and ((455/4\$.ccls.) or (370/3\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:03
S31	206	S30 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:04
S32	1368	((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (uplink or (reverse near2 link)) with (first serving old previous initial home source original)) same ((delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:05
S33	551	S27 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:06
S34	551	S33 and ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:07

S35	547	S34 and ((first serving old previous initial home source original) with (delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:08
S36	486	S35 and ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (start\$3 or forward\$3 or stop\$4 or transmi\$5 or send\$3 or activat\$3 or commenc\$3) with (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:12
S37	262	((base adj station) bts "bs" node-b (node adj b)(access adj point) ap) near2 ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (buffer\$3 or delay or tim\$3 or interval or period or slot or timeslot or start\$3 or forward\$3 or stop\$4 or activat\$3 or commenc\$3) with (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:53
S38	2792	((base adj station) bts "bs" node-b (node adj b)(access adj point) ap) near2 ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (buffer\$3 or delay or tim\$3 or interval or period or slot or timeslot or start\$3 or forward\$3 or stop\$4 or activat\$3 or commenc\$3) with (first serving old previous initial home source original))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:55
S39	142	S37 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:55
S40	110	S39 and (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:55

S41	62	S40 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:56
S42	55	S41 and ((455/4\$.ccls.) or (370/3\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:56

3/ 6/ 2010 12:50:53 PM**C:\ Documents and Settings\ fdonado\ My Documents\ EAST\ Workspaces\ 10567607_Ver4.wsp**